# **APPROVED MATERIALS LIST**

CATEGORY	MATERIAL OR COMPONENT	SIZE	APPROVED MANUFACTURER	PART NO or SERIES (IF APPLICABLE)	
PIPE			AMERICAN CAST IRON PIPE COMPANY		
			US PIPE AND FOUNDARY COMPANY	-	
	DUCTILE IRON		GRIFFIN PIPE PRODUCTS COMPANY	-	ENSURE ALL PIPE GAS
			MCWAYNE CAST IRON PIPE COMPANY	1	
			PACIFIC STATES PIPE COMPANY	1	
			AMERICAN CAST IRON PIPE COMPANY		ALL FITTINGS SHALL BE
			US PIPE AND FOUNDARY COMPANY	7	
			TYLER PIPE/UNION FOUNDARY	1	
FITTINGS	DUCTILE IRON		GRIFFIN PIPE PRODUCTS COMPANY	1	
			MCWAYNE CAST IRON PIPE COMPANY	1	
		Γ	CLOW WATER SYSTEMS COMPANY		
			STAR PIPE PRODUCTS		
			KRAUSZ	HYMAX	
		Γ	ROMAC INDUSTRIES	501, ALPHA	
FLEX COUPLINGS			SMITH BLAIR		ENSURE GASKETS N
			MUELLER		
			EBAA IRON	MEGALUG SERIES 1100	
			ROMAC INDUSTRIES	ROMAGRIP	
	<b>MJ FITTINGS &amp; VALVES</b>	Γ	STAR PIPE PRODUCTS	STARGRIP SERIES 3000	1
MECHANCIAL RESTRAINT			SMITH BLAIR	CAM LOCK 111	
DEVICES			TYLER UNION	TUFGRIP SERIES 1000	
DEVICES	PIPE BELL AND SPIGOT		US PIPE	FIELDLOK 350	CONTRACTOR/SUI
			ROMAC INDUSTRIES	PIRANHA	COMPATIBLE WITH SE
			AMERICAN CAST IRON PIPE COMPANY	FAST-GRIP GASKET	
			US PIPE	TR-FLEX	
			CLOW	MODEL 2638	MUST INCLUDE DI E SUBMITTALS RE
	RW GATE	12-INCH OR	KENNEDY	KS-FW OR KS-RW	
	KW GATE	SMALLER	M&H	STYLE 7000 SERIES	
			MUELLER	A-2362	
	BUTTERFLY		CLOW	STYLE 4500	
VALVES		16-INCH OR	HENRY PRATT CO	GROUNDHOG	BFV REQU
		LARGER	MUELLER	LINESEAL III	
			VALMATIC	2000 BFV	
	AIR/VAC RELEASE		DeZURIK/APCO	SERIES 140C	COAT ALL RELIEF PIPIN GLOSS P
			VALMATIC	2" 202C, 3"-4" 203C	
			CRISPIN	UL UNIVERSAL SERIES	
	VALVE BOXES		EAST JORDAN IRON WORKS	EJ 045 LID W/HANDLE	
			OLYMPIC FOUNDARY CO	VALVE BOX ASSY 045	
	MARKER POSTS		DAVIDSON TRAFFIC CONTROL	FG400	FLEXI-GUID

## COMMENTS

### SASKETS MATCH PIPE MANUFACTURER'S PRODUCTS DOMESTIC PRODUCTS ONLY

## BE MANUFACTURED IN THE USA SIGMA FITTINGS NOT ALLOWED

MATCH THE SIZE FOR THE TYPE OF EXISTING PIPE

FOR USE UP TO 16-INCH ONLY

SUPPLIER TO ENSURE ALL RESTRAINT DEVICES ARE SELECTED PIPE MANUFACTURER PRODUCT. PROVIDE EMENTAL INFORMATION IF REQUESTED

DI BODY AND BONNET IF C509 STANDARD IS USED; REQUIRED FOR VALVES LARGER THAN 12-INCH

QUIRES APPROVAL BY DISTRICT FOR USE

PING WITH 2 COATS RUSTOLEUM INDUSTRIAL CHOICE S PAINT SAFETY BLUE MFR NO 1624830

DOMESTIC PRODUCTS ONLY

IDE FLEXIBLE HIGHWAY DELINEATOR POST

CATEGORY	MATERIAL OR COMPONENT	SIZE	APPROVED MANUFACTURER	PART NO (IF APPLICABLE)	
HYDRANT AND	HYDRANTS		CLOW	MEDALLION F-2545	1
			MUELLER COMPANY	SUPER CENTURION A-423	
			EAST JORDAN IRON WORKS	WATERMASTER 5CD250	
APPURTENANCES	STORZ ADAPTERS		HARRINGTON INCORPORATED		
	COATINGS		FARWEST PAINT CO.	NEW CASE YELLOW X-3472-1	1
			ROMAC	202S, 202NS, 305	
	SADDLES		FORD	FS202, FC202	ENSURE SELECTED
			SMITH-BLAIR	317 STYLE	
			FORD	F1000-4-QNL	
		1-INCH	MUELLER	B-25008N-1	
			AY MCDONALD MFG CO	5182-049	74701
			FORD	FB500-7NL	IPT BALL VALV
	CORPORATIONS	2-INCH	MUELLER	300 BALL CORP B2996	
			AY MCDONALD MFG CO	5133-101/73131B2	
		AIRVAC RELEASE	FORD	FB500-7NL	2
		AIRVAC RELEASE	MUELLER	B-2996	INLET AW
SERVICE FITTINGS		ASST	AY MCDONALD MFG CO	5133-101	73131
SERVICE FITTINGS		3/4-INCH	FORD	VBH72-12W-11-33-NL	
			MUELLER	B2410-4RN212	
		1-INCH	FORD	VBH74-12W-11-44-NL	
			MUELLER	B2404-2RN	
		1-1/2 INCH	FORD	VBH86-12B-11-66-NL	- MUST BE
	METER SETTERS		MUELLER	B2427-2N; 12-INCH	
		1-1/2 & 2-INCH	FORD		USE SAME PRODUC
		IRRIGATION	MUELLER		
		2-INCH	FORD	VBH87-12B-11-77-NL	MUST BE
		DOMESTIC	MUELLER	B2427-2N; 12-INCH	
		2-INCH FIRE	FORD	VBB87-12-11-77-NL	EQUIPPED WITH PAD L
			MUELLER	B2426-00n; 12-INCH	

COMMENTS

NO SUBSTITUTIONS ALLOWED

NO SUBSTITUTIONS ALLOWED

ED SADDLE IS CORRECT FOR TYPE OF PIPE TAPPED

NO LEAD

01BQ 1 BALL CORP AWWA X CTS - NL

LVE MIP X MIP TO EQUIP WITH SWING JOINT

2" INLET, 2" OUTLET 2" MIP NL WWA TAPER, CC THREAD, MIP OUTLET NL 31B 2 BALL CORP MNPT X MNPT - NL

BE EQUIPPED WITH HIGH BYPASS OPTION

OUCT AS DOMESTIC BUT DO NOT INCLUDE BYPASS

BE EQUIPPED WITH HIGH BYPASS OPTION

) LOCK BALL VALVE ON INLET AND OUTLET, NO SINGLE CHECK VALVE OR BYPASS

CATEGORY	MATERIAL OR COMPONENT	SIZE	APPROVED MANUFACTURER	PART NO (IF APPLICABLE)	
			FORD		ALL BRASS TO MEET ' ONLY; COMPRESSION
			MUELLER	]	
	MISC BRASS FITTINGS		AY MCDONALD MFG CO		
			MATCO-NORCA		
			MERIT BRASS		
			LEE BRASS		
	METER BOXES	3/4 & 1-INCH	OLDCASTLE	COMPOSITE 1324 x 12" w/STEEL SOLID LID	
SERVICE FITTINGS			DFW	DFW1324C4-12-BODY W/DFW 1324C4-12-4MT SMALL WITH CAST IRON READER	
			FOGTITE	No. 2 BOX W/STEEL TRAFFIC LID	METER BOX OR APPRO BOXES ON
		1-1/2 & 2-INCH; BLOW OFF and AIRVAC	OLDCASTLE	COMPOSITE 1730 x 12" w/STEEL TRAFFIC LID	
			DFW	1730C4 -12-BODY W/DFW1730C4-12-4MT SMALL WITH CAST IRON READER	
			FOGTITE	B-10 BOX W/ ALUMINUM TRAFFIC LID	
VAULTS	DOMESTIC METER	3-INCH AND 4- INCH	OLDCASTLE INFRASTRUCTURE	4484-LA	METER VAULTS TO BE H20 RATED (OR HIG CONFIGURATION, 180
	DDCVA-FIRE (PRIVATE FACILITIES)	3 & 4-INCH	OLDCASTLE INFRASTRUCTURE	577-LA	PRIVATE FACILITIES SPECIAL CONDITIONS SIZE), NON-SKID LID W SIZ
		6 TO 10-INCH		687-LA	
		12-INCH		5106-LA	

## COMMENTS

# T "NO LEAD" REQUIREMENTS; DOMESTIC PRODUCTS ON FITTINGS ONLY. PACK JOINT AND FLARED FITTINGS NOT ALLOWED

# PROVED EQUAL. DRILL AMR HOLE IN LID FOR METER DNLY. ALL BOXES/LIDS TO BE H20 LOADED

BE EQUIPPED WITH BILCO TYPE LID, SPRING ASSISTED, HIGHER UNDER SPECIAL CONDITIONS), TWO DOOR 80 DEGREE OPEN, NON-SKID DOORS WITH AMR HOLE IN HATCH.

ES - BILCO TYPE LID, H20 RATED (OR HIGHER UNDER DNS), WITH 2 OR 3 DOOR CONFIGURATION (BASED ON D WITH AMR HOLE IN HATCH. CONTRACTOR TO VERIFY SIZING BASED ON SELECTED DDCVA